

Vaccine	Brand Name	Manufacturer	Thimerosal Concentration ¹	Mercury mcg/0.5 ml
Anthrax	BioThrax	BioPort Corporation	0	0
DTaP	Tripedia	sanofi pasteur	*	*
	Infanrix	GlaxoSmithKline	0	0
	DAPTACEL	sanofi pasteur	0	0
DTaP-HepB-IPV	Pediarix	GlaxoSmithKline	*	*
DTaP-Hib	TriHIBit	sanofi pasteur	*	*
DTwP	All Products		.01%	25
DT	Diphtheria & Tetanus Toxoids Adsorbed USP	sanofi pasteur	multi-dose .01%	25
	single dose		*	*
Td	DECAVAC	sanofi pasteur	*	*
	Tetanus and Diphtheria Toxoids Adsorbed	sanofi pasteur	*	*
Tdap	ADACEL	sanofi pasteur	0	0
	Boostrix	GlaxoSmithKline	0	0
Tetanus Toxoid	Tetanus Toxoid Adsorbed USP	sanofi pasteur	.01%	25
	Tetanus Toxoid Adsorbed Adult Use		.01%	25
	Booster		.01%	25
Hib	ActHIB	sanofi pasteur	0	0
	HibTITER	Wyeth-Ayerst	0	0
	PedvaxHIB liquid(2)	Merck	0	0
Hib/HepB	Comvax (3)	Merck	0	0
Hepatitis A	Havrix	GlaxoSmithKline	0	0
	Vaqa adult/pediatric	Merck	0	0
Hepatitis B	Engerix-B preservative free	GlaxoSmithKline	0	0
	Recombivax HB preservative free	Merck	0	0
Hep A-B	Twinrix	GlaxoSmithKline	*	*
HPV	Gardasil	Merck	0	0
Influenza 2006/7 Formula	Fluarix	GlaxoSmithKline	*	*
	FluLaval	GlaxoSmithKline	.01%	25
	FluMist	MedImmune	0	0
	Fluvirin	Chiron		≤0.98
	Fluzone 5 mL vial	sanofi pasteur	.01%	25
	Fluzone No Preservative		0	0
IPV	IPOL	sanofi pasteur	0	0
Meningococcal	Menactra	sanofi pasteur	0	0
	MENOMUNE-A/C/Y/W-135	sanofi pasteur	multi-dose .01%	25
	single dose		*	*
MMR	M-M-R II	Merck	0	0
MMR-Varicella	ProQuad	Merck	0	0
Pneumococcal	Prenar	Wyeth-Ayerst	0	0
	Pneumovax 23	Merck	0	0
Rabies	RabAvert	Chiron	0	0
	IMOVAX	sanofi pasteur	0	0
Rotavirus	RotaTeq	Merck	0	0
Typhoid Fever	Typhim Vi	sanofi pasteur	0	0
	Vivotif	Berna Biotch	0	0
Varicella Zoster	Varivax	Merck	0	0
	Zostavax	Merck	0	0
Yellow Fever	YF-VAX	sanofi pasteur	0	0

1. A concentration of 1:10,000 is equivalent to a 0.01% concentration. Thimerosal is approximately 50% Hg by weight. A 1:10,000 concentration contains 25 micrograms of Hg per 0.5 mL.

2. A previously marketed lyophilized preparation contained 0.005% thimerosal.

3. COMVAX is not approved for use under 6 weeks of age because of decreased response to the Hib component.

* This product should be considered equivalent to thimerosal-free products. This vaccine may contain trace amounts (<0.3 mcg) of mercury left after post-production thimerosal removal; these amounts have no biological effect. JAMA 1999;282(18) and JAMA 2000;283(16).